

Instructions to Authors

1. GENERAL

Proceedings series B is published monthly. It contains announcements of important results within any field of the biological sciences, normally no more than 4000 words (five printed pages) in length. With the same restriction on length, reviews containing original and interesting ideas, and extensions to, or criticisms of, papers already published (subject to the criteria of interest, originality and good manners) will also be acceptable. The target publication time is three months from receipt of a paper (excluding the time that the typescript is in the hands of the author). Authors are advised that **papers prepared in accordance with these instructions will be given priority**. Acceptance of a paper will be determined by its quality and interest.

The new format of the journal is A4 (297 mm × 210 mm), double column, with a normal text area of 255 mm × 167 mm.

2. SUBMISSION

Papers may be submitted (i) to a member of the Editorial Board, (ii) to a Corresponding Editor, (iii) to a Fellow or Foreign Member of the Society (a list is published in the Society's *Year Book*), or (iv) direct to the Editor in Nottingham. The date of receipt by any one of these will be recorded as the formal date of receipt for publication. The name of the person to whom the paper was submitted, and the date of its receipt by that person, will be published if the paper is accepted. **It will help the process of consideration if authors write to inform the Editor when they have submitted a paper by routes (i), (ii) or (iii) above.** Authors are asked to include their telephone numbers, fax numbers and/or electronic mail addresses in correspondence about the paper.

Four copies of the typescript and of any figures (together with one set of original drawings and prints) are required. The extra copies of any photographs should be prints rather than photocopies.

Authors can increase the likelihood of rapid action by contacting their intended recipient before submitting a paper and by choosing a recipient who works in an appropriate branch of the subject. When sending their papers authors may, if they wish, suggest the names of referees, but such suggestions will not necessarily be adopted. The recipient under (i), (ii) or (iii) above will be responsible for providing the Editor with referees' reports and a recommendation on the paper's suitability for publication.

Submission on computer disc is welcomed, but only the *final* version should be on disc (hard copy will be required for refereeing). Use of the disc cannot be guaranteed, but will depend on the format and the program used. A list of acceptable formats is available from the Society's Editorial Department at 6 Carlton House Terrace, London SW1Y 5AG.

3. COPY

Papers should be clearly typewritten, **with double spacing throughout**, on one side of the paper only, with a margin of at least 3 cm all round; all sheets should be numbered serially and **securely clipped together**. Typescripts must be carefully corrected by authors before being sent in. Spelling should conform to the preferred spelling of the *Shorter Oxford English Dictionary*. Footnotes should be avoided.

4. TITLE, ABSTRACT

It is **very important** that both the title and the abstract should be comprehensible, and interesting, to the non-specialist. Authors are asked to make their titles as short and general as possible. The title should be typed on a separate covering sheet which should also bear the names of the authors and that of the laboratory or other place where the work has been done. A very short title (maximum of 50 letters and spaces) suitable for page headings should also be given. The abstract should not exceed 200 words, and should give a precise and informative summary of the paper's content.

5. SECTIONAL HEADINGS

Papers may be divided into sections, described by short headings. Subsections should not be used.

6. UNITS, SYMBOLS AND ABBREVIATIONS

As far as possible the recommendations contained in *Quantities, units, and symbols* (1975, The Royal Society, £1.50) should be followed; in particular the International System of Units (SI) should be used whenever it is practicable to do so.

Special care is necessary in differentiation between handwritten symbols of comparable shape, e.g. $V v \nu$, $w W$, $s S$, $p \rho P$, $T \tau$. Marginal indications and differential underlinings should be used where necessary, the normal conventions being followed where applicable, e.g. ~~~~ to signify bold characters. Mathematical symbols should be underlined.

Wherever possible, only internationally agreed abbreviations should be used; see, for example, the list of accepted abbreviations for use in the *Biochemical Journal*.

7. ILLUSTRATIONS

Duplicate figures (e.g. Xerox or photographic copies, as appropriate) should be supplied with each copy. The author's name and the number of the figure should be written on the back of all illustrations. Figures should be numbered in one sequence throughout the paper.

Colour illustrations will be included only if scientifically necessary and if the cost is met by the author

(unless an acceptable case is made by the author why funds are not obtainable).

The position of each illustration should be clearly marked in the typescript thus:

Figure 2 near here

Line drawings

Long descriptions should appear not on the figures themselves but in the legends. Any labelling necessary for the understanding of a figure should be indicated lightly in blue pencil on the original drawings and exactly the same labelling should be inserted carefully in ink on the duplicate copies.

All lettering should be in lower case except for the initial capital letters of proper names. Lettering for symbols should strictly follow the case and font of type called for in the text. The printer's artist will insert these on the originals in a standard style of lettering. If the author is able to call on the services of an experienced lettering artist it is often preferable for heavily labelled figures, e.g. maps, to be completely lettered before submission. The height of capital letters *after reduction* should be as close to 2 mm as possible. When in doubt use smaller rather than larger lettering. Adequate consultation between authors or their draughtsmen and the Editorial Office (telephone 01-839 5561, extension 229) will help ensure satisfactory results.

Legends

These should be typed with double spacing on a separate sheet at the end of the paper. Figure legends should follow the style given below:

Figure 7. Time-course of changes in fibre type composition during post-stimulation recovery. (a) Type 1 fibres. (b) Type 2A fibres, including the transitional fibres (asterisks) referred to in the text. (c) Type 2B fibres. Bands indicate the range (mean \pm s.d.) for the corresponding fibre type in control muscles.

Photographs

When it is essential to include photographs they should make the most efficient use of the space required. The area covered by the photographs should be restricted to the subject in question, or to a *minimum* representative area in photomicrographs, etc. This enables the photograph to be reproduced at the largest possible scale. The text area available in *Proceedings* series B is 255 mm \times 167 mm. Photographs will be printed with the text, not on plates.

Authors should supply unmounted glossy prints marked on the back with the authors' names, the number of the figure and with the top and bottom

indicated. When lettering has to be inserted, a rough set should be provided with the lettering clearly marked.

8. TABLES

Tables, however small, should be numbered in arabic numerals and referred to in the text by their numbers. The position of each table should be shown as follows:

Table 3 near here

Table headings should be a brief title only; descriptions of experimental detail should follow, starting on a new line, in parentheses. Column headings should be in lower-case lettering except for the capital initial letters of proper names. The units of measurement and any numerical factors should be placed unambiguously at the head of the column, e.g. F/MHz , $10^{28}\sigma/\text{m}^3$ or $q/(\text{kJ mol}^{-1})$.

9. REFERENCES

References to the literature cited must be given in double-spaced typing, in alphabetical order at the end of the paper. They should be prepared following the style of recent issues of *Proceedings B*.

Reference citations in the text are made by the name and year method; references by number are not permitted.

10. PROOFS

On acceptance of a paper, the Society's Editorial Department will inform authors when they may expect to receive proofs for checking. Because of the need for fast publication, only a few days may be available for checking proofs, so authors who may be absent from their normal address should either inform the Society of their intended whereabouts or make other arrangements for the proofs to be checked quickly. Fax numbers are welcomed.

Great care is necessary in checking proofs to ensure that all misprints are detected. Authors should note that systematic emendations may have been made to their typescript in accordance with the normal style of the Society's journals. If any changes are necessary to proofs every effort should be made by substituting matter of similar length to avoid extensive rearrangement. Authors are liable for the cost of excessive alterations to their proofs.

11. OFFPRINTS

Fifty offprints of each paper will be supplied free of charge; further copies may be ordered at extra cost at proof stage.

CORRESPONDING EDITORS

Australia

- Professor P. W. Gage**, Department of Physiology, The John Curtin School of Molecular Research, The Australian National University, P.O. Box 334, Canberra, ACT 2601 (Tel. 062 49 2893; Fax. 062 47 4823)
Dr M. D. Hatch, Division of Plant Industry, CSIRO, G.P.O. Box 1600, Canberra, ACT 2601 (Tel. 062 465 264; Fax. 062 473785)
Sir Gustav Nossal, The Walter and Eliza Hall Institute of Medical Research, Post Office, Royal Melbourne Hospital, Victoria 3050 (Tel. 613 345 2550; Fax. 613 347 0852)
Dr W. J. Peacock, Division of Plant Industry, CSIRO, G.P.O. Box 1600, Canberra, ACT 2601 (Tel. 61 62 465250; Fax. 61 62 576844)
Professor J. D. Pettigrew, Vision, Touch and Hearing Research Centre, Department of Physiology and Pharmacology, University of Queensland, St Lucia, Queensland 4067 (Tel. 07 377 2396; Fax. 07 371 7433)

Canada

- Dr L. Siminovitch**, Mount Sinai Hospital Research Institute, 600 University Avenue, Toronto, Ontario M5G 1X5 (Tel. 416 586 8224; Fax. 416 586 8588)
Professor M. Smith, Room 237, Westbrook Building, University of British Columbia, 6174 University Boulevard, Vancouver, British Columbia V6T 1W5 (Tel. 604 228 4838; Fax. 604 228 2114)

Federal Republic of Germany

- Professor K. Rajewsky**, Institut für Genetik, Universität zu Köln, Weyertal 121, D-5000 Köln 41 (Tel. 0221 470 2467; Fax. 0221 470 5170)
Professor B. Sakmann, Max-Planck-Institut für Medizinische Forschung, Abteilung Zellphysiologie, Jahnstrasse 29, Postfach 10 38 20, D-6900 Heidelberg 1 (Tel. 6221 486 460/461; Fax. 6221 486 351)

France

- Professor P. Chambon**, Unité de Biologie Moléculaire et de Génie Génétique, CNRS-LGME, Institut de Chimie Biologique, 11 rue Humann, 67085 Strasbourg Cedex (Tel. 33 8837 1255; Fax. 33 8837 0148)
Professor J.-P. Changeux, Section de Neurobiologie Moléculaire, Institut Pasteur, 28 rue du Dr Roux, 75724 Paris Cedex 15 (Tel. 1 4568 8000; Fax. 1 4306 9835)
Dr A. Coutinho, Unité d'Immunobiologie, Institut Pasteur, 25 rue du Dr Roux, 75724 Paris Cedex 15 (Tel. 1 4568 8593; Fax. 1 4568 8639)
Professor F. Jacob, Département de Biologie Moléculaire, Institut Pasteur, 25 rue du Dr Roux, 75724 Paris Cedex 15 (Tel. 4783 8312; Fax. 1 4568 8521)

Hungary

- Professor J. Szentágothai**, Semmelweis University Medical School, Tüzoltó utca 58, 1450 Budapest (Tel. 00 36 11 138 806; Fax. 00 36 11 135 405)

India

- Professor P. Narain**, Indian Agricultural Statistics Research Institute, Library Avenue, New Delhi 110 012 (Tel. 91 11 581479)
Professor O. Siddiqi, Molecular Biology Unit, Tata Institute of Fundamental Research, Homi Bhabha Road, Colaba, Bombay 400 005 (Tel. 495 2971)
Dr M. S. Swaminathan, Centre for Research on Sustainable Agricultural and Rural Development, 11 Rathna Nagar, Teynampet, Madras 600 018 (Tel. 044 455339)
Professor G. P. Talwar, National Institute of Immunology, Shahid Jeet Singh Marg, New Delhi 110 067 (Tel. 662608; Fax. 9111 686 2316)

Japan

- Professor S. Ebashi**, National Institute for Physiological Sciences, Myodaiji, Okazaki 444 (Tel. 0564 54 1111; Fax. 0564 52 7913)
Professor M. Kimura, National Institute of Genetics, Yata 1, 111, Mishima 411 (Tel. 0559 75 0771; Fax. 0559 71 3651)
Professor Y. Nishizuka, Department of Biochemistry, Kobe University School of Medicine, Kobe 650 (Tel. 81 78 341 7451; Fax. 81 78 351 0082)

New Zealand

- Professor G. B. Petersen**, Department of Biochemistry, University of Otago, P.O. Box 56, Dunedin (Tel. 024 797 864; Fax. 024 741 607)
Dr J. R. Slack, Department of Physiology, University of Auckland, Private Bag, Auckland (Tel. 0649 795 780; Fax. 0649 770 956)

Spain

- Professor A. García-Bellido**, Centro de Biología Molecular, Facultad de Ciencias, Universidad Autónoma de Madrid, 28049 Madrid (Tel. 91 397 5070; Fax. 91 397 4799)

Switzerland

- Professor J.-C. Cerottini**, Ludwig Institute for Cancer Research, Ch. Boveresses 155, CH-1066 Epalinges (Tel. 021 336 275; Fax. 021 334 474)
Professor J. G. Nicholls, BioCenter, Universität Basel, Klingelbergstrasse 70, CH-4056 Basel (Tel. 061 253 880)
Professor H. Reuter, Pharmakologisches Institut, Universität Bern, Friedbühlstrasse 49, CH-3010 Bern (Tel. 31 643 281; Fax. 31 262 419)
Professor W. Wahli, Institut de Biologie Animale, Université de Lausanne, Bâtiment de Biologie, CH-1015 Lausanne-Dorigny (Tel. 41 21692 2492; Fax. 41 21692 2540)

U.S.A.

- Dr A. Celada**, Cancer Research Center, La Jolla Cancer Research Foundation, 10901 North Torrey Pines Road, La Jolla, California 92037 (Tel. 619 455 6480; Fax. 619 453 6217)
Professor B. Chance, Department of Biochemistry and Biophysics, School of Medicine, University of Pennsylvania, Philadelphia, Pennsylvania 19014-6089 (Tel. 215 898 4342; Fax. 215 898 1806)
Professor Nam-Hai Chua, Laboratory of Plant Molecular Biology, The Rockefeller University, 1230 York Avenue, New York, New York 10021-6399 (Tel. 212 570 8126; Fax. 212 570 8327)
Professor D. R. Davies, Laboratory of Molecular Biology, Department of Health and Human Services, National Institutes of Health, Bethesda, Maryland 20892 (Tel. 301 496 4295)
Dr R. F. Doolittle, Center for Molecular Genetics M-034, University of California, La Jolla, California 92093-0634 (Tel. 619 534 4417; Fax. 619 534 4985)
Professor P. R. Ehrlich, Department of Biological Sciences, Stanford University, Stanford, California 94305
Professor W. J. Ewens, Department of Biology, University of Pennsylvania, Philadelphia, Pennsylvania 19104 (Tel. 215 898 7109; Fax. 215 898 8780)
Professor G. D. Fischbach, Department of Neurobiology, Washington University School of Medicine, Box 8108, 660 South Euclid Avenue, St Louis, Missouri 63110 (Tel. 314 362 7043; Fax. 314 362 9862)
Dr N. B. Gilula, Department of Molecular Biology, Research Institute of Scripps Clinic, 10666 North Torrey Pines Road, La Jolla, California 92037 (Tel. 619 554 9770; Fax. 619 554 9960)
Professor S. F. Heinemann, Molecular Neurobiology Laboratory, The Salk Institute, P.O. Box 85800, San Diego, California 92138-9216 (Tel. 619 453 9313; Fax. 619 450 0509)
Professor G. Hess, Section of Biochemistry, Molecular and Cell Biology, 216 Biotechnology Building, Cornell University, Ithaca, New York 14853-2703 (Tel. 607 255 4809; Fax. 604 255 2428)
Professor R. O. Hynes, Center for Cancer Research, Massachusetts Institute of Technology, 77 Massachusetts Avenue, Cambridge, Massachusetts 02139 (Tel. 617 253 6422; Fax. 617 253 8357)
Professor Y. W. Kan, Howard Hughes Medical Institute, University of California, San Francisco, California 94143-0724 (Tel. 415 476 5841; Fax. 415 566 4969)
Professor J. R. Knowles, Department of Chemistry, Harvard University, 12 Oxford Street, Cambridge, Massachusetts 02138 (Tel. 617 495 5219; Fax. 617 495 1333)
Dr E. G. Krebs, Howard Hughes Medical Institute, Research Laboratories, University of Washington School of Medicine, Mail Stop SL-15, Seattle, Washington 98195 (Tel. 206 543 8500; Fax. 206 543 0858)
Professor K. L. Magleby, Department of Physiology and Biophysics, University of Miami School of Medicine, P.O. Box 016430 (R-430), Miami, Florida 33101 (Tel. 305 547 6236; Fax. 305 547 5931)
Professor P. Marler, Department of Zoology, University of California, Storer Hall, Davis, California 95616; Fax. 916 752 1449
Professor V. A. McKusick, Department of Medicine, Johns Hopkins University Hospital, Baltimore, Maryland 21205 (Tel. 301 955 6641; Fax. 301 955 4999)
Professor A. G. Motulsky, Center for Inherited Diseases, RG-25, School of Medicine, Department of Medicine, University of Washington, Seattle, Washington 98195 (Tel. 206 543 3593; Fax. 206 545 8675)
Dr R. A. Nicoll, Department of Pharmacology, School of Medicine, University of California, San Francisco, California 94143-0450
Dr W. E. Paul, Laboratory of Immunology, Building 10, Room 11N311, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland 20892 (Tel. 301 496 5046; Fax. 301 496 0222)
Professor J. M. Ritchie, Department of Pharmacology, Yale University School of Medicine, Sterling Hall of Medicine, 333 Cedar Street, New Haven, Connecticut 06510-8066 (Tel. 203 785 4567; Fax. 203 785 6537)
Professor G. Westheimer, Department of Molecular and Cell Biology, Division of Neurobiology, Life Sciences Addition, Box 211, University of California, Berkeley, California 94720 (Tel. 415 642 4828; Fax. 415 643 6791)
Professor E. O. Wilson, Museum of Comparative Zoology, Harvard University, Cambridge, Massachusetts 02138 (Tel. 617 495 2466)

THE ROYAL SOCIETY

Proceedings: Biological Sciences

Series B Volume 242 Number 1304 22 November 1990

CONTENTS

ALOIMONOS, J. & HUANG, L. Motion-boundary illusions and their regularization	pages 75–81
WOLPERT, D. M. & MIALL, R. C. Detecting chaos with neural networks	82–86
ORCHARD, LISA M. D. & KORNBERG, HANS L. Sequence similarities between the gene specifying 1-phosphofructokinase (<i>fruk</i>), genes specifying other kinases in <i>Escherichia coli</i> K12, and <i>lacC</i> of <i>Staphylococcus aureus</i>	87–90
SHIELLS, R. A. & FALK, G. Glutamate receptors of rod bipolar cells are linked to a cyclic GMP cascade via a G-protein	91–94
KEIGHTLEY, PETER D. & HILL, WILLIAM G. Variation maintained in quantitative traits with mutation-selection balance: pleiotropic side-effects on fitness traits	95–100
MACNAIR, MARK R. & CUMBES, QUINTON J. The pattern of sexual resource allocation in the yellow monkey flower, <i>Mimulus guttatus</i>	101–107
GIBB, A. J., KOJIMA, H., CARR, J. A. & COLQUHOUN, D. Expression of cloned receptor subunits produces multiple receptors	108–112
WOOLFSON, A. & ROTHSCHILD, M. Speculating about pyrazines	113–119
PARKER, G. A. Sperm competition games: raffles and roles	120–126
PARKER, G. A. Sperm competition games: sneaks and extra-pair copulations	127–133
MORRONE, CONCETTA M., BURR, DAVID C. & FIORENTINI, ADRIANA Development of contrast sensitivity and acuity of the infant colour system	134–139

* * *

INSTRUCTIONS TO AUTHORS