

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

	Known parental care system												Inferred parental care system					
	No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative
Ratitae																		
Struthionidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Rheidae	2	0	0	1	0	0	0	0	0	1	0	0	0	0	1	0	0	1
Casuariidae	4	0	0	3	0	0	0	0	0	0	0	1	0	0	4	0	0	0
Apterygidae	5	0	0	2	0	2	0	0	0	1	0	0	0	0	2	0	2	1
Tinamidae	47	0	0	15	0	0	0	0	0	0	0	32	0	0	47	0	0	0
Galloanserae: Galliformes																		
Megapodidae	19	0	5	2	0	2	0	0	0	0	0	10	0	5	3	0	11	0
Cracidae	50	0	0	0	4	7	0	1	0	0	0	38	0	0	0	8	42	0
Odontophoridae	31	0	0	0	1	9	0	0	0	0	0	21	0	0	0	1	30	0
Numididae	6	0	0	0	0	3	0	0	0	0	0	3	0	0	0	0	6	0
Phasianidae																		
Meleagrinae	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0	0
Percicinae	103	0	0	0	2	58	0	0	0	0	0	43	0	0	0	2	101	0
Phasianinae	51	0	0	0	9	6	0	0	0	0	0	36	0	0	0	41	10	0
Tetraoninae	17	0	0	0	14	3	0	0	0	0	0	0	0	0	0	14	3	0
Galloanserae: Anseriformes																		
Anhimidae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0
Anseranatidae	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Anatidae	151	1	0	0	64	75	0	4	0	0	0	7	1	0	0	69	81	0
Piciformes																		
Galbulidae	18	0	0	0	0	0	0	0	0	2	3	13	0	0	0	0	0	18
Bucconidae	33	0	0	0	0	2	0	0	0	2	1	28	0	0	0	0	28	5
Megalaimidae	26	0	0	0	0	9	0	0	0	0	0	17	0	0	0	0	26	0
Lybiidae	41	0	0	0	0	10	0	0	0	15	7	9	0	0	0	0	15	26
Ramphastidae	48	0	0	0	0	11	0	0	0	3	0	34	0	0	0	0	37	11
Indicatoridae	17	15	0	0	0	0	0	0	0	0	0	2	17	0	0	0	0	0
Picidae																		
Jynginae	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0
Picinae	182	0	0	0	0	72	0	7	0	12	3	88	0	0	0	0	164	18
Picumninae	30	0	0	0	0	4	0	0	0	0	0	26	0	0	0	0	30	0
Coraciiformes																		
Bucerotidae	51	0	0	0	0	22	0	1	0	10	5	13	0	0	0	0	31	20

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

		Known parental care system											Inferred parental care system						
		No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative
	Bucorvidae	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2
	Upupidae	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2
	Phoeniculidae	5	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	5
	Rhinopomastidae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0
	Trogonidae	38	0	0	0	0	12	0	0	0	0	26	0	0	0	0	0	38	0
	Coraciidae	12	0	0	0	0	6	1	1	0	0	3	0	0	0	0	0	11	1
	Brachypteraciidae	5	0	0	0	0	3	0	0	0	0	2	0	0	0	0	0	5	0
	Leptosomidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
	Meropidae	25	0	0	0	0	5	0	0	15	4	1	0	0	0	0	0	5	20
	Cerylidae	9	0	0	0	0	6	0	1	1	0	1	0	0	0	0	0	8	1
	Dacelonidae	59	0	0	0	0	18	0	1	7	1	32	0	0	0	0	0	45	14
	Alcedinidae	24	0	0	0	0	13	0	1	0	0	10	0	0	0	0	0	24	0
	Momotidae	9	0	0	0	0	6	0	0	0	0	3	0	0	0	0	0	9	0
	Todidae	5	0	0	0	0	0	0	0	1	0	4	0	0	0	0	0	0	5
	Colliformes																		
	Coliidae	6	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	6
	Cuculiformes																		
	Cuculidae	10	3	0	0	0	2	0	0	0	0	5	3	0	0	0	0	7	0
	Neomorphinae																		
	Crotophaginae	4	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	4
	Centropodinae	26	0	0	1	0	7	0	0	0	0	18	0	0	1	0	0	25	0
	Couinae	12	0	0	0	0	3	0	0	0	0	9	0	0	0	0	0	12	0
	Cuculinae	88	46	0	0	0	12	0	3	0	0	27	56	0	0	0	0	32	0
	Opisthocomidae (<i>incertae sedis</i>)																		
	Opisthocomidae	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	Psittaciformes																		
	Psittacidae	347	0	0	0	1	144	5	2	1	7	6	181	0	0	0	1	327	19
	Trochiliformes																		
	Apodidae	91	0	0	0	0	31	0	0	5	2	53	0	0	0	0	0	79	12
	Hemiprocridae	4	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	4	0
	Trochilidae	314	0	0	0	211	0	0	0	0	0	103	0	0	0	314	0	0	0
	Musophagiformes																		

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

	Known parental care system												Inferred parental care system						
	No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative	
Musophagidae	23	0	0	0	0	11	0	0	3	3	1	5	0	0	0	0	18	5	
Strigiformes																			
Tytonidae	17	0	0	0	0	9	0	0	0	0	0	8	0	0	0	0	17	0	
Strigidae	153	0	0	0	0	72	0	5	0	0	0	76	0	0	0	0	153	0	
Caprimulgiformes																			
Steatornithidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	
Batrachostomidae	9	0	0	0	0	3	0	0	0	0	0	6	0	0	0	0	9	0	
Podargidae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0	
Nyctibiidae	7	0	0	0	0	2	0	0	0	0	0	5	0	0	0	0	7	0	
Caprimulgidae	78	0	0	0	1	29	0	1	0	0	0	47	0	0	0	6	72	0	
Eurostopodidae	7	0	0	0	0	2	0	0	0	0	0	5	0	0	0	0	7	0	
Aegothelidae	8	0	0	0	0	1	0	0	0	0	0	7	0	0	0	0	8	0	
Gruiformes																			
Otididae	25	0	0	0	18	0	4	0	0	0	0	3	0	0	0	20	5	0	
Gruidae	15	0	0	0	0	15	0	0	0	0	0	0	0	0	0	0	15	0	
Heliornithidae	4	0	0	0	0	3	0	0	0	0	0	1	0	0	0	0	4	0	
Psophiidae	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	3	
Cariamidae	2	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	2	0	
Rallidae	132	0	0	0	0	52	0	1	3	14	3	59	0	0	0	0	114	18	
Rhynchocetidae (<i>incertae sedis</i>)																			
Rhynchocetidae	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	
Eurypygidae (<i>incertae sedis</i>)																			
Eurypygidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	
Mesitornithidae (<i>incertae sedis</i>)																			
Mesitornithidae	3	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	1	2	
Columbiformes																			
Columbidae	306	0	0	0	3	160	0	0	0	0	0	143	0	0	0	4	302	0	
Pteroclididae (<i>incertae sedis</i>)																			
Pteroclididae	16	0	0	0	0	14	0	0	0	0	0	2	0	0	0	0	16	0	
Charadrii																			
Scolopacidae	86	0	0	5	7	58	0	0	0	0	0	16	0	0	5	7	74	0	

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

		Known parental care system											Inferred parental care system						
		No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative
	Jacaniidae	8	0	0	6	0	1	0	0	0	0	0	1	0	0	7	0	1	0
	Rostratulidae	2	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	1	0
	Thinocoridae	4	0	0	0	4	0	0	0	0	0	0	0	0	0	0	4	0	0
	Pedionomidae	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Laridae	50	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	50	0
	Rynchopidae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0
	Sternidae	43	0	0	0	0	38	0	4	0	0	0	1	0	0	0	0	43	0
	Stercorariidae	8	0	0	0	0	6	0	1	0	1	0	0	0	0	0	0	7	1
	Alcidae	22	0	0	0	0	20	0	1	1	0	0	0	0	0	0	0	22	0
	Glareolidae	17	0	0	0	0	13	0	0	0	0	0	4	0	0	0	0	17	0
	Dromadidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
	Turnicidae	16	0	0	13	0	0	0	0	0	0	0	3	0	0	16	0	0	0
	Charadriidae	65	0	0	2	0	46	0	2	0	1	0	14	0	0	2	0	62	1
	Recurvirostridae	8	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	8	0
	Haematopodidae	10	0	0	0	0	8	0	1	0	1	0	0	0	0	0	0	9	1
	Burhinidae	9	0	0	0	0	8	0	0	0	0	0	1	0	0	0	0	9	0
	Chionidae	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0
	Pluvianellidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Falconides																			
	Accipitridae	234	0	0	0	0	125	0	19	0	13	0	77	0	0	0	0	220	14
	Sagittariidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
	Falconidae	62	0	0	0	0	31	0	6	0	6	1	18	0	0	0	0	47	15
Podicepedida (<i>incertae sedis</i>)																			
	Podicipedidae	20	0	0	0	0	11	0	9	0	0	0	0	0	0	0	0	20	0
Phaethontida (<i>incertae sedis</i>)																			
	Phaethontidae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0
Sulida																			
	Sulidae	9	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	9	0
	Anhingidae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0
	Phalacrocoracidae	36	0	0	0	0	35	0	1	0	0	0	0	0	0	0	0	36	0

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

	Known parental care system												Inferred parental care system					
	No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative
Ciconiida																		
Ardeidae	62	0	0	0	4	49	0	0	0	0	0	9	0	0	0	4	58	0
Scopidae	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Phoenicopteridae	5	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	5	0
Threskiornithidae	32	0	0	0	0	29	0	0	0	0	0	3	0	0	0	0	32	0
Pelicanidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Ciconiidae	7	0	0	0	0	4	1	0	0	0	0	2	0	0	0	0	7	0
Fregatidae	5	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	5	0
Spheniscidae	17	0	0	0	0	16	0	1	0	0	0	0	0	0	0	0	17	0
Gaviidae	4	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	4	0
Procellariidae	14	0	0	0	0	14	0	0	0	0	0	0	0	0	0	0	14	0
Passeriformes: Acanthisittoidea																		
Acanthisittidae	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1	1
Passeriformes: Eurylaimoidea																		
Pittidae	31	0	0	0	0	9	0	0	0	0	0	22	0	0	0	0	31	0
Eurylaimidae	15	0	0	0	0	5	0	0	0	1	2	7	0	0	0	3	9	3
Philepittidae	4	0	0	0	1	2	0	0	0	0	0	1	0	0	0	2	2	0
Passeriformes: Furnariida																		
Melanopareiidae	3	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	3	0
Conopophagidae	8	0	0	0	0	2	0	0	0	0	0	6	0	0	0	0	8	0
Thamnophilidae	188	0	0	0	0	53	1	0	0	1	0	133	0	0	0	0	186	2
Grallariidae	49	0	0	0	0	5	0	0	0	0	0	44	0	0	0	0	49	0
Rhinocryptidae	26	0	0	0	0	7	0	0	0	0	0	19	0	0	0	0	26	0
Formicariidae	11	0	0	0	0	1	0	0	0	0	0	10	0	0	0	0	11	0
Sclerurus/Geositta	17	0	0	0	0	3	0	0	0	0	0	14	0	0	0	0	17	0
Dendrocolaptidae	47	0	0	0	7	11	0	0	0	0	0	29	0	0	0	13	34	0
Furnariidae	213	0	0	0	0	34	1	0	0	3	4	171	0	0	0	0	206	7

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

	Known parental care system												Inferred parental care system						
	No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative	
Passeriformes: Tyrannida																			
Cotingidae	67	0	0	0	17	8	0	0	0	1	0	41	0	0	0	34	32	1	
Oxyruncidae	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	
Pipridae	51	0	0	0	34	0	0	0	0	0	0	17	0	0	0	51	0	0	
Tityridae	26	0	0	0	1	11	0	0	0	0	0	14	0	0	0	2	24	0	
Pipromorphidae	53	0	0	0	4	9	0	0	0	0	0	40	0	0	0	4	49	0	
Tyrannidae	337	0	0	0	9	150	0	1	0	2	0	175	0	0	0	18	313	6	
Passeriformes: old Australian taxa																			
Menuridae	Atrichothorninae	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0	0
		Menurinae	2	0	0	0	2	0	0	0	0	0	0	0	0	0	2	0	0
Climacteridae	7	0	0	0	0	1	0	0	0	5	0	1	0	0	0	0	2	5	
Ptilonorhynchidae	19	0	0	0	15	3	0	0	0	0	0	1	0	0	0	16	3	0	
Maluridae	28	0	0	0	0	0	0	0	0	19	4	5	0	0	0	0	0	28	
Meliphagidae	174	0	0	0	0	39	0	6	0	18	3	108	0	0	0	0	152	22	
Pardalotidae	Acanthizinae	60	0	0	0	0	21	1	0	0	15	7	16	0	0	0	0	32	28
	Dasyornithinae	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	3	0
	Pardalotinae	4	0	0	0	0	3	0	0	1	0	0	0	0	0	0	0	3	1
Pomatostomidae	5	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	5	
Orthonychidae	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2	0	0	
Melanocharitidae	10	0	0	0	0	1	0	0	0	0	0	9	0	0	0	0	10	0	
Callaeatidae	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0	
Cnemophilidae	3	0	0	0	2	0	0	0	0	0	0	1	0	0	0	3	0	0	
Passeriformes: Corvoidea																			
Neosittidae	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2	
Vireonidae	53	0	0	0	0	25	0	0	0	0	1	27	0	0	0	0	52	1	
Campephagidae	80	0	0	0	1	23	0	1	0	3	0	52	0	0	0	1	74	5	
Falconulidae	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2	
Eupetidae	10	0	0	0	0	5	0	0	0	0	0	5	0	0	0	0	10	0	
Pachycephalidae	42	0	0	0	0	11	0	0	0	0	0	31	0	0	0	0	42	0	
Paramythiidae	2	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	2	0	
Oriolidae	28	0	0	0	0	9	0	1	0	1	0	17	0	0	0	0	26	2	

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

		Known parental care system											Inferred parental care system						
		No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative
	Artamidae	24	0	0	0	0	6	0	0	0	10	1	7	0	0	0	0	7	17
	Malaconotidae	101	0	0	0	0	31	2	1	0	14	7	46	0	0	0	0	78	23
	Aegithinidae	4	0	0	0	0	3	0	0	0	0	0	1	0	0	0	0	4	0
	Dicruridae	23	0	0	0	0	11	0	0	0	1	0	11	0	0	0	0	22	1
	Rhipiduridae	43	0	0	0	0	12	0	1	0	0	0	30	0	0	0	0	43	0
	Paradisaeidae	38	0	0	0	30	3	0	0	0	0	0	5	0	0	0	32	6	0
	Corcoracidae	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	Monarchidae	90	0	0	0	0	33	0	1	0	1	0	55	0	0	0	0	89	1
	Laniidae	30	0	0	0	0	15	0	1	0	6	0	8	0	0	0	0	24	6
	Corvidae	116	0	0	0	0	43	2	1	0	31	1	38	0	0	0	0	69	47
	Corvoidea (<i>incertae sedis</i>)	24	0	0	0	0	6	0	0	0	4	4	10	0	0	0	0	12	12
	Passeriformes: Picathartidae																		
	Picathartidae	3	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	2	1
	Passeriformes: Petroicidae																		
	Petroicidae	43	0	0	0	0	11	0	1	0	7	1	23	0	0	0	0	31	12
	Passeriformes: Passerida																		
	Paridae	51	0	0	0	0	25	0	3	0	3	4	16	0	0	0	0	38	13
		11	0	0	0	1	2	0	0	0	1	3	4	0	0	0	1	3	7
	Stenostiridae	10	0	0	0	0	7	0	0	0	1	0	2	0	0	0	0	8	2
	Alaudidae	86	0	0	0	0	57	0	4	0	1	1	23	0	0	0	0	84	2
	Hirundinidae	78	0	0	0	0	55	0	6	0	0	0	17	0	0	0	0	78	0
	Aegithalidae	10	0	0	0	0	3	0	0	0	2	1	4	0	0	0	0	6	4
	Pycnonotidae	121	0	0	0	1	42	1	0	0	7	7	63	0	0	0	1	100	20
	Cisticolidae	116	0	0	0	2	54	0	0	0	6	3	51	0	0	0	2	102	12
	Acrocephalidae	42	0	0	0	1	25	0	0	0	4	0	12	0	0	0	1	37	4
	Cettidae	27	0	0	0	1	6	0	0	0	1	0	19	0	0	0	1	23	3
	Malagasy warblers	10	0	0	0	0	0	0	0	0	0	2	8	0	0	0	0	6	4
	Megaluridae	46	0	0	0	1	25	0	0	0	0	0	20	0	0	0	1	45	0
	Phylloscopidae	52	0	0	0	0	29	0	2	0	0	0	21	0	0	0	0	52	0
	Timaliidae	385	0	0	0	0	93	0	1	0	29	20	242	0	0	0	0	301	84
	Sylvioidea (<i>incertae sedis</i>)	72	0	0	0	0	15	0	0	0	12	3	42	0	0	0	0	52	20

Appendix B - Distribution of known and inferred modes of parental care in families and subfamilies of birds.

		Known parental care system											Inferred parental care system						
		No of species	Brood parasite	Geothermal	Male only	Female only	Pair	Group, not cooperative	Occasional cooperative	Cooperative in captivity	Known cooperative	Suspected cooperative	Unknown	Brood parasite	Geothermal	Male only	Female only	Pair	Cooperative
	Troglodytidae	74	0	0	0	1	18	1	3	0	12	3	36	0	0	0	1	58	15
	Polioptilidae	15	0	0	0	0	9	0	1	0	0	0	5	0	0	0	0	15	0
	Sittidae	25	0	0	0	0	16	0	0	0	2	0	7	0	0	0	0	23	2
	Certhiidae	7	0	0	0	0	5	0	0	0	0	0	2	0	0	0	0	7	0
	Regulidae	6	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	6	0
	Bombycillidae	7	0	0	0	0	5	0	0	0	0	0	2	0	0	0	0	7	0
	Sturnidae	112	0	0	0	0	34	0	2	1	15	1	59	0	0	0	0	94	18
	Mimidae	34	0	0	0	0	15	0	0	0	5	1	13	0	0	0	0	28	6
	Cinclidae	5	0	0	0	0	4	0	0	0	0	0	1	0	0	0	0	5	0
	Muscicapidae	291	0	0	0	0	150	0	7	0	14	3	118	0	0	0	0	268	23
	Turdidae	143	0	0	0	0	67	0	2	0	4	0	70	0	0	0	0	139	4
	Promeropidae	4	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	3	1
	Dicaeidae	43	0	0	0	0	6	0	0	0	0	0	37	0	0	0	0	43	0
	Nectariniidae	123	0	0	0	9	47	0	1	0	2	0	64	0	0	0	16	104	3
	Irenidae	10	0	0	0	0	2	0	0	0	0	0	8	0	0	0	0	10	0
	Prunellidae	13	0	0	0	0	0	0	0	0	4	1	8	0	0	0	0	0	13
	Peucedramidae	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
	Ploceidae	135	0	0	0	0	88	0	1	0	0	0	46	0	0	0	0	135	0
	Estrildinae	116	0	0	0	28	34	0	2	0	5	7	40	0	0	0	42	55	19
	Ploceinae	17	17	0	0	0	0	0	0	0	0	0	0	17	0	0	0	0	0
	Viduinae	36	0	0	0	0	25	0	0	0	2	0	9	0	0	0	0	34	2
	Passeridae	159	0	0	0	0	77	0	8	0	2	0	72	0	0	0	1	153	5
	Fringillidae	62	0	0	0	2	42	0	5	0	0	0	13	0	0	0	2	60	0
	Motacillidae	6	0	0	0	0	4	0	0	0	1	0	1	0	0	0	0	5	1
	<i>Calcarius/Plectrophenax</i>	603	0	0	0	4	178	0	4	0	21	6	390	0	0	0	4	546	53
	Emberizidae	115	0	0	0	0	51	0	5	0	1	0	58	0	0	0	0	114	1
	Parulidae	96	5	0	0	9	38	0	1	0	9	2	32	5	0	0	15	64	12
	Icteridae																		